

 **e-STUDIO409P**

 **e-STUDIO478P**

Product brochure

- Boost the efficiency of small to medium sized businesses and workgroups with these reliable A4 printers.
- Print at a speed of up to 40/47 pages per minute on a broad range of media and at Toshiba's standard high quality.
- Fully equipped with eco-friendly features and an optimised energy consumption to help save money and valuable resources.



Ready when you are


For your day-to-day business you need a reliable printer which delivers impeccable document output every time you print. Toshiba's e-STUDIO409P and e-STUDIO478P offer just that. With print speeds of up to 40 and 47 pages per minute (ppm) respectively and a fast first print output time, these productive printers are ready when you need them.

Easy to install and even easier to use, these high quality devices are compatible with most operating systems. The mobile printing features and network capability of the e-STUDIO409P and e-STUDIO478P make them ideal for small to medium-sized businesses and workgroups.

High-level security features are standard, protecting the device from unauthorised access.



Configuration



* Only one additional drawer can be added.

** Up to three additional drawers can be added.

Specifications

General

	e-STUDIO409P	e-STUDIO478P
Print Speed	40 ppm	47 ppm
Warm-up Time	~ 9 seconds (from sleep mode)	
Paper Size & Weight		
Cassette	A6-A4/custom, 60-120 gsm	A6-A4/custom, 60-120 gsm
Bypass	99x148 mm - 215x359 mm, 60-217 gsm	76x127 mm - 216x356 mm, 60-216 gsm
Paper Capacity		
Cassette	1x 250 sheets	1x 550 sheets
Bypass	1x 100 sheets	1x 100 sheets
Max.	900 sheets	2,300 sheets
Output Capacity	150-sheet capacity	250-sheet capacity
Automatic Duplex	A4/custom, 60-90 gsm	
Control Panel	2 line LCD display	6 cm (2.4") Colour LCD panel
Memory		
Standard/Max.	256 MB/256 MB	512 MB/512 MB
Interface	10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed USB 2.0, WLAN ¹⁾²⁾ (IEEE802.11 ac/a/b/g/n 2x2 MIMO Wireless)	
Dimensions		
W x D x H	368 x 363 x 222 mm	399 x 374 x 260 mm
Weight	~ 9.3 kg	~ 15.8 kg
Initial Consumables	Starter cartridge with Toner and Imaging unit	

Print

	e-STUDIO409P	e-STUDIO478P
Resolution		
Max.	600 x 600 dpi	1,200 x 1,200 dpi
First Print Output Time	~ 5.9 seconds	~ 6 seconds
Page Description Language	PCL 6, PCL 5, PostScript 3 and PDF v1.7 emulation, XPS ²⁾ , PPDS ²⁾	
Supported Systems	Windows 10/8/8.1 Windows Server 2016/ Server 2012/ Server 2008 (32/64 bit), Windows Server 2012 R2/ Server 2008 R2 (64bit), Mac OS X 10.6-10.13 ²⁾ , Linux/Unix, Novell NetWare, Citrix, SAP	
Mobile Printing	AirPrint, Mopria Print Service	
Print Functions	Universal Printer Driver, Multiple pages per sheet, Envelope printing	

System & Security

System Features	Energy saving modes, Automatic toner saturation/ darkness adjustment
Accounting & Security	Private print, IP address filter, Port filter, Support of SNMPv3, SSL and IPsec protocols, 802.1x authentication ¹⁾²⁾ , Operator panel lock ²⁾

Options

250-sheet Drawer²⁾	250-sheet capacity, A5-A4, 60-120 gsm
550-sheet Drawer³⁾	550-sheet capacity, A5-A4, 60-120 gsm
Swivel Cabinet	
Adjustable Printer Stand	
User Flash Memory²⁾	
Wireless LAN Module²⁾	
Forms and Barcode Card²⁾	
PRESCRIBE Card²⁾	
IPDS Card²⁾	
Security Element²⁾	



¹⁾ Optional

²⁾ e-STUDIO478P only

³⁾ Different for e-STUDIO409P and e-STUDIO478P



Printsense Limited

5 Oakley Hay Lodge, Great Folds Road, Corby, Northants NN18 9AS

Web: www.printsense.co.uk

Email: getintouch@printsense.co.uk

Tel Office: 01536 422922

PRINT  SENSE

simplifying copiers and desktop printers